



AIR DISTRIBUTION **STOCK CATALOG**

HAVTECH COMMERCIAL DISTRIBUTION STORES

When you need air distribution equipment, you need a company you can rely on to provide quality products at an affordable price, and you need it to be all in one place. The Havtech Air Distribution Team offers the expertise to help whether you are installing, maintaining or upgrading any HVAC system.

Our fully stocked Havtech Commercial Distribution (HCD) Stores will allow you to get to the jobsite or customer fast. Whether you need a new piece of equipment, an OEM part or general parts and supplies, we can get you on the road with only one stop.

We offer same day pick-up or next day delivery for orders placed before 2 PM. For your convenience, we also offer same day delivery for orders placed within our same day delivery zone. Please call for details.


TWO LOCATIONS TO SERVE YOU Business Hours

COLUMBIA HCD STORE

9505 Berger Road
Columbia, MD 21046
240.568.0960 | parts@havtech.com



1101 Hampton Park Blvd, Suite 400
Capitol Heights, MD 20743
240.547.0287 | parts@havtech.com



Our highly sought-after team of technicians has industry-leading expertise across a wide range of equipment. We service your entire system, helping you resolve complicated technical issues and operate at maximum efficiency. With Havtech, you get one team of experts to source, install, start-up and conduct preventive or scheduled maintenance of your equipment.



RGD Product Cross Reference 4

Registers, Grilles & Diffusers

Supply Diffusers 5

Slot Diffusers 7

Supply Registers 8

Return Grilles 9

Perforated and Egg Crate Returns 11

Accessories 13

Single Duct VAV Boxes 14

Fire dampers, Louvers, and Accessories

Fire Dampers 15

Louvers 16

Duct Doors 17

Flex Duct & Accessories

Flex Duct 18

Roof Products and Accessories

Equipment Rails, Roof Ducts 19

Roof Pipe Portals 20

Snaplock Pipe & Fittings

Snaplock Pipe & Fittings 21

The Fine Print

Terms and Conditions of Sale..... 23

RGD PRODUCT CROSS REFERENCE

4

Price Industries	Metal*Aire	Nailor Industries	Titus	Krueger	Tuttle & Bailey
AMD	5000	6400	TDCAA	5SH	AM
AMDEX	5000IV	6400IV	--	--	RC/ARC
LCMD	5200D	--	--	--	--
SMD	5500S	6500	TDC	SH	M
SMX	5500SIV	6500IV	TDV	SHV	--
SCD	5700/5800	RNS	TMS	1400	S1200
SPD	5750/5850	UNI	OMNI	PLQ	S1100
ASPD	5750AL	--	OMNIAA	5PLQ	A1100
SPDHI	PHENOMENATOR	--	--	--	--
RCDE	3100	RNR	TMR	RM1	P3
PDF	7500/7550	4320/4325	PAS	6604	PP
PDC	7600	4320CB/4325CB	PCS	6504	PV
PDDR	7500R	4360/4365	PAR/PMR/PDR	6490/6690	PP
PFRF	SPRTB	4302	PXP/PXP-DF	6790	PTL
APF	PFTB	DFA	TRM	5HCF	SMF
520D	V4004SD	61DV/61DH	300R	880	T64
530	SRH	6145	350R	S80	T70
630	RH	5145	350F	S580	A70
80	CC5	51EC	50	EGC5	CRE500
LBPH	2000F	--	CT-PP-O	LFD	4000
530FF	SRHF	61FB45	350RLF1	S80H	T70DFB
STG	DG	51DG	CT-700L	600A	A990
TBDI	PHPSI	57101	TBDI	PSTBSI	SVPS
SDS100	6600	5010	ML-39	1910	6000
SDG	4004SP-1	--	US300/FS	DMGU	--
VPD-HC	--	--	T3SQ	--	--
SDV5	TH	3001	ESV	LMHS	SDV
RAC	--	--	ACPT	--	--
CF	FAL	FLH	FL	DFL	AIR TRAC

The information contained within this cross reference should be used as a "guide" when making product selections. Havtech, LLC will not be held responsible for any errors caused by its use.

SPD

Square Plaque Diffuser



SPD31

SCD

Square 3-Cone Diffuser



SCD31

Inlet Size	Panel Size	CFM	SPD31 Steel, T-Bar	SPD17 Steel, Finline	SCD31 Steel, T-Bar	SCD17 Steel, Finline	SCDA3 Adj. Steel, T-Bar	SCDA17 Adj. Steel, Finline	VCRE8 Damper
6	12 × 12	157	●	--	●	--	--	--	●
	24 × 24		●	●	●	●	●	●	●
8	12 × 12	279	●	--	●	--	--	--	●
	24 × 24		●	●	●	●	●	●	●
10	24 × 24	436	●	●	●	●	●	●	●
12	24 × 24	628	●	●	●	●	●	●	●
14	24 × 24	855	●	●	●	●	●	●	●
15	24 × 24	982	●	●	●	●	--	--	--

CFM @ 800FPM Neck Velocity.

SMD

Steel, Louvered Face Directional Diffuser



SMD



SMD6

Size						Panel Size	CFM	T-Bar			Surface Mount	
	SMD3P With Damper	Round Neck Size		SMD3P With Square to Round Transition	SMD6 With Damper							
6 × 6	  	Cores 3A, 2G, 2S and 1S can be factory-ordered. Call for more information				24 × 24	125		6"			
9 × 9	  					24 × 24	282		8"			
12 × 12	  					24 × 24	500		10"			
15 × 15	  					24 × 24	781		12"	14"		
18 × 18	  					24 × 24	1125		16"			

CFM @ 500FPM Neck Velocity.

*18 x 18 is only available with Frame 36.

PDF3/PDC3

Steel, Perforated Supply Diffuser



PDF3



PDC3

Size	Panel Size	CFM	PDF3 Face-Mounted Pattern Controller	PDF17 Face-Mounted Pattern Controller	PDC3 Curved Blade, Neck-Mounted Pattern Controller	PDC17 Curved Blade, Neck-Mounted Pattern Controller	VCRE8 Damper
6	12 × 12	98	●	--	--	--	●
	24 × 24	98	●	●	●	●	●
8	24 × 24	175	●	●	●	●	●
10	24 × 24	273	●	●	●	●	●
12	24 × 24	393	●	●	●	●	●
14	24 × 24	535	●	●	●	●	●
16	24 × 24	535	●	●	--	--	--

CFM @ 500FPM Neck Velocity
Model PDC3 stocked in 4-Way air pattern only.

Steel, Round Diffuser




Size	CFM	RCDE	VCRE8 Damper
6	160	●	●
8	280	●	●
10	435	●	●
12	630	●	●

CFM @ 800FPM Neck Velocity.

TBDI4

Insulated Slot Diffuser with T-Bar Mount



Slot Width	# of Slots	Dimensional Data				TBDI4	APF Plaster Frame
		Length	Height	Width	Inlet (Oval)		
1"	2	24	10	4	6, 8	●	●
		48	12	4	6, 8, 10	●	●
1.5"	2	48	12	5	12	●	●

Plaster Frame Model APF is to be used for installation of slot diffuser Model TBDI in sheet rock or plaster ceilings. See Accessories on page 13.

SDS100

Linear Slot Diffuser with 1" Slot Spacing



Length	# of Slots	Surface Mount	SDS100-EC-W Flanged End Cap	SDS100-EC-Z Flush Z Style end Cap	SDS100-UPL Insulated	SDS-ASP
		SDS100-2 Flange Frame Concealed Mounting				
48	2	●	●	●	●	●
60	2	●	●	●	●	●
72	2	●	●	●	●	●

Finish is B12 White on Frame, Black Pattern Controllers

SDS75

Linear Slot Diffuser with 3/4" Slot Spacing



Length	# of Slots	Surface Mount	SDS75-EC-W	SDS75-EC-Z	SDS75-UPL	SDS-ASP
		SDS75-2				
48	2	●	●	●	●	●
60	2	●	●	●	●	●
72	2	●	●	●	●	●

Finish is B12 White on Frame, Black Pattern Controllers



520D

Steel, Double Deflection Supply Register with Damper


Size	CFM	520D	620D
6 x 4	75	●	●
6 x 6	90	●	--
8 x 4	90	●	●
8 x 6	130	●	●
8 x 8	195	●	●
10 x 4	110	●	●
10 x 6	170	●	--
10 x 8	230	●	●
10 x 10	300	●	●
12 x 4	130	●	●
12 x 6	195	●	--
12 x 8	300	●	●
12 x 10	345	●	--
12 x 12	450	●	●
14 x 4	150	●	●
14 x 6	230	●	--
14 x 8	345	●	●
14 x 10	405	●	●
14 x 12	535	●	●
14 x 14	590	●	--
16 x 4	170	●	●
16 x 6	260	●	●
16 x 8	405	●	●
16 x 10	450	●	●
16 x 12	590	●	●
16 x 14	670	●	--

620D

Aluminum, Double Deflection Supply Register with Damper

Size	CFM	520D	620D
16 x 16	800	●	--
18 x 6	450	●	●
18 x 8	450	●	●
18 x 10	535	●	●
18 x 12	670	●	●
20 x 6	345	●	●
20 x 8	500	●	●
20 x 10	590	●	●
20 x 12	725	●	●
20 x 14	900	●	●
24 x 6	400	●	●
24 x 8	590	●	●
24 x 10	700	●	●
24 x 12	900	●	●
24 x 16	1220	●	●
30 x 6	535	●	--
30 x 8	725	●	●
30 x 10	975	●	●
30 x 12	1150	●	●
30 x 16	1560	●	●
36 x 6	775	●	--
36 x 8	900	●	●
36 x 10	1180	●	●
36 x 12	1390	●	●
36 x 14	1625	●	--
36 x 16	1800	●	--

CFM @ 500FPM Neck Velocity.



530


Steel, 45 Degree Single Deflection Return Grille

Size	CFM	530	630	VCS3 Dampers
6 x 6	90	●	●	●
8 x 6	130	●	●	●
8 x 8	195	●	●	●
10 x 6	170	●	●	●
10 x 8	230	●	●	●
10 x 10	300	●	●	●
12 x 6	195	●	●	●
12 x 8	300	●	●	●
12 x 10	345	●	●	●
12 x 12	455	●	●	●
14 x 6	230	●	●	●
14 x 8	345	●	●	●
14 x 10	405	●	●	●
14 x 12	535	●	●	●
14 x 14	590	●	●	●
16 x 6	260	●	●	●
16 x 8	405	●	●	●
16 x 10	455	●	●	●
16 x 12	590	●	●	●
16 x 14	670	●	●	●
16 x 16	800	●	●	●
18 x 6	300	●	●	●
18 x 8	455	●	●	●
18 x 10	535	●	●	●
18 x 12	670	●	●	●
18 x 14	800	●	●	●
18 x 16	900	←	●	●
18 x 18	1040	●	●	●
20 x 8	500	●	●	●
20 x 10	590	●	●	●

*530D (530 with Damper). CFM @ 500FPM Neck Velocity.

T-Bar

Size	CFM	Panel Size	530 T-Bar	630 T-Bar	FR17
20 x 20	1280	24 x 24	--	--	●
22 x 10	683	24 x 12	●	●	--



630

Aluminum, 45° Degree Single Deflection Return Grille

Size	CFM	530	630	VCS3 Dampers
20 x 12	725	●	●	●
20 x 14	900	●	●	●
20 x 16	1040	●	●	●
20 x 18	1225	●	●	●
20 x 20	1300	●	●	●
24 x 8	590	●	●	●
24 x 10	725	●	●	●
24 x 12	900	●	●	●
24 x 14	1040	●	●	●
24 x 16	1225	●	●	●
24 x 18	1393	●	●	●
24 x 20	1555	●	●	●
24 x 24	1805	●	●	●
30 x 8	725	●	●	●
30 x 10	900	●	●	●
30 x 12	1175	●	●	●
30 x 14	1390	●	●	●
30 x 16	1560	●	●	●
30 x 20	2145	●	●	●
30 x 24	2275	●	●	●
30 x 30	2790	●	●	--
36 x 8	900	●	●	●
36 x 10	1225	●	●	●
36 x 12	1225	●	●	●
36 x 16	1925	●	●	●
36 x 20	2325	●	●	●
36 x 24	2790	●	●	●
36 x 30	3700	●	●	--
36 x 36	4500	●	●	--
48 x 24	4000	●	●	●

T-Bar

Size	CFM	Panel Size	530 T-Bar	630 T-Bar	FR17
22 x 22	1568	24 x 24	●	●	--
46 x 22	3525	48 x 24	●	●	--



530D

Steel, 45 Degree Single Deflection Return Register with Damper

Size	CFM	Panel Size	530D T-Bar
22 x 10	683	24 x 12	●
22 x 22	1568	24 x 24	●
46 x 22	3525	48 x 24	●



630D

Aluminum, 45° Degree Single Deflection Return Register with Damper

Size	CFM	Panel Size	630D T-Bar
22 x 10	683	24 x 12	●
22 x 22	1568	24 x 24	●
46 x 22	3525	48 x 24	●



530FF

Steel, Lay-In Filter Return Grill

Size	CFM	Panel Size	530FF Steel
20 x 20	1287	24 x 24	●

Filters are not included (Filter Rack is 1")
CFM @ 500FPM Neck Velocity.



630FF

Aluminum, Lay-In Filter Return Grill

Size	CFM	Panel Size	630FF Aluminum
20 x 20	1287	24 x 24	●

Filters are not included (Filter Rack is 1")
CFM @ 500FPM Neck Velocity.

PDDR3

Steel, Perforated Return Diffuser with Round or Square Duct Connection for T-Bar Ceilings



Inlet Size	CFM	Panel Size	PDDR Square T-Bar
10 × 10	347	12 × 12	●
22 × 10	764	24 × 12	●
22 × 22	1681	24 × 24	●
46 × 22	3514	48 × 24	●

CFM @ 500FPM Neck Velocity.



Round Duct Connection

Inlet Size	CFM	Panel Size	PDDR Round T-Bar
6	98	24 × 24	●
8	175	24 × 24	●
10	273	24 × 24	●
12	393	24 × 24	●
14	535	24 × 24	●
16	698	24 × 24	●
18	750	24 × 24	●

CFM @ 500FPM Neck Velocity.



PDDR17

Square Duct Connection

Inlet Size	CFM	Panel Size	PDDR Square T-Bar
22 × 22	1681	24 × 24	●

CFM @ 500FPM Neck Velocity.



PDDR17


Round Duct Connection

Inlet Size	CFM	Panel Size	PDDR Round T-Bar
6	98	24 × 24	●
8	175	24 × 24	●
10	273	24 × 24	●
12	393	24 × 24	●
14	535	24 × 24	●
16	698	24 × 24	●
18	750	24 × 24	●

CFM @ 500FPM Neck Velocity.

PFRF3

Steel, Perforated Face Return Panel



Size	CFM	PFRF3 T-Bar	PFRF17 T-Bar
24 × 24	1830	\$50	●

CFM @ 500FPM Neck Velocity

80

Aluminum Egg Crate Grille with 0° Deflection



T-Bar

Size	CFM	Panel Size	80 No Damper	80D With Damper	80FR17 No Damper
22 × 10	669	24 × 12	●	●	●
20 × 20	1270	24 × 24	--	--	●
22 × 22	1550	24 × 24	●	●	●
46 × 22	3310	48 × 24	●	●	--

CFM @ 500FPM Neck Velocity.

RAC

Return Air Canopy

Prevents the transfer of occupant noise into the plenum above

Size	Length	Height	RAC
24 × 24	24	7	●
48 × 24	48	7	●



SPF

Steel Plaster Frame For T-Bar Diffusers
Installed in Sheet Rock Ceilings

Size	SPF
12 × 12	●
24 × 12	●
24 × 24	●




APF

Aluminum Plaster Frame for plenum slot diffusers

Model	Slot Width	# of Slots	Length	APF Plaster Frame
APF TBDI1400	1"	2	24	●
APF TBDI4100			48	●
APF TBDI4150	1.5"	2	48	●

Plaster Frame Model APF is to be used for installation of slot diffuser Model TBDI in sheet rock or plaster ceilings.

VCRE8



Inlet Size	Panel Size	VCRE8 Damper
6	12 × 12	●
	24 × 24	●
8	12 × 12	●
	24 × 24	●
10	24 × 24	●
12	24 × 24	●
14	24 × 24	●

CFM @ 500FPM Neck Velocity


Touch Up Paint

For use with Price products
with a B12 white finish or B15 aluminum finish.



Item Number	Finish	List Price
TUPB12	B12 White	●
TUPB15	B15 Aluminum	●

Single Duct Terminal Units



SDV5 Standard Construction

- + 22 gauge galvanized steel
- + 3/4" fiber free insulation
- + Gasketed damper, mechanically sealed
- + Multipoint crossflow sensor
- + Controls enclosure
- + Slip and drive connection

SDV5
VAV Single Duct Box

Inlet Size	CFM Range	Dimensional Data (H × W × L)	Model Description
		VAV Box	SDV5 VAV Box
6	65 - 550	8 × 12 × 22 ¹ / ₈	●
8	125-1100	10 × 12 × 20 ¹ / ₈	●
10	210-1800	12 ¹ / ₂ × 14 × 20 ¹ / ₈	●
12	300-2600	15 × 16 × 20 ¹ / ₈	●
14	430-3700	17 ¹ / ₂ × 20 × 23 ⁵ / ₈	●
16	575-5000	18 × 24 × 23 ⁵ / ₈	●



VFD-10D-A

Vertical or horizontal, Curtain Style Fire Damper

- For Use In Static or Dynamic HVAC Systems
- U.L. 555 Fire Resistance Rating: 1 ½ Hour
- 165°F UL Listed Fusible Link
- Qualified to 2,000 ft/min and 4 in. wg.

Item Number	Size	List Price
VFD-10D-A 6X6	6 x 6	●
VFD-10D-A 8X6	8 x 6	●
VFD-10D-A 8X8	8 x 8	●
VFD-10D-A 10X6	10 x 6	●
VFD-10D-A 10X8	10 x 8	●
VFD-10D-A 10X10	10 x 10	●
VFD-10D-A 12X6	12 x 6	●
VFD-10D-A 12X8	12 x 8	●

Item Number	Size	List Price
VFD-10D-A 12X10	12 x 10	●
VFD-10D-A 12X12	12 x 12	●
VFD-10D-A 14X6	14 x 6	●
VFD-10D-A 14X8	14 x 8	●
VFD-10D-A 14X6	14 x 6	●
VFD-10D-A 14X8	14 x 8	●
VFD-10D-A 14X10	14 x 10	●
VFD-10D-A 14X12	14 x 12	●
VFD-10D-A 14X14	14 x 14	●
VFD-10D-A 16X8	16 x 8	●
VFD-10D-A 16X10	16 x 10	●
VFD-10D-A 16X12	16 x 12	●
VFD-10D-A 16X14	16 x 14	●
VFD-10D-A 16X16	16 x 16	●
VFD-10D-A 18X10	18 x 10	●
VFD-10D-A 18X12	18 x 12	●
VFD-10D-A 18X14	18 x 14	●
VFD-10D-A 18X16	18 x 16	●

Item Number	Size	List Price
VFD-10D-A 18X18	18 x 18	●
VFD-10D-A 20X10	20 x 10	●
VFD-10D-A 20X12	20 x 12	●
VFD-10D-A 20X14	20 x 14	●
VFD-10D-A 20X16	20 x 16	●
VFD-10D-A 20X18	20 x 18	●
VFD-10D-A 20X20	20 x 20	●
VFD-10D-A 24X10	24 x 10	●
VFD-10D-A 24X12	24 x 12	●
VFD-10D-A 24X14	24 x 14	●
VFD-10D-A 24X16	24 x 16	●
VFD-10D-A 24X18	24 x 18	●
VFD-10D-A 24X20	24 x 20	●
VFD-10D-A 24X24	24 x 24	●
VFD-10D-A 36X14	36 x 14	●
VFD-10D-A 36X18	36 x 18	●
VFD-10D-A 36X20	36 x 20	●
VFD-10D-A 36X36	36 x 36	●

All dimensions are in inches



VFD-10D-C

Vertical or horizontal, Curtain Style Fire Damper with 2" Deep Round Transition

- For Use In Static or Dynamic HVAC Systems
- U.L. 555 Fire Resistance Rating: 1 ½ Hour
- 165°F UL Listed Fusible Link
- Qualified to 2,000 ft/min and 4 in. wg.

Item Number	Size	List Price
VFD-10D-C 6	6" Dia	●
VFD-10D-C 8	8" Dia	●
VFD-10D-C 10	10" Dia	●
VFD-10D-C 12	12" Dia	●
VFD-10D-C 14	14" Dia	●

FUSIBLE LINK

- Elsie C Fusible Link 165 degrees for use with VFD-10D
- Elsie C Fusible Link 212 degrees for use with Type A and C dynamic fire dampers



Item Number	Size	List Price
FUSIBLE LINK - ELSIE C	165°	●
FUSIBLE LINK - ELSIE C - 212	212°	●





EFJ-245

Aluminum, 2 " Deep, 45° Degree J Blade, Extruded Louver

- Mill Finish
- 1 ½ flange

Item Number	Size	List Price
EFD-245 8X6	8 x 6	●
EFD-245 8X8	8 x 8	●
EFD-245 16X8	16 x 8	●

All dimensions are in inches



EFD-437

Aluminum, 37.5° Degree Drainable Blade, Extruded Louver

- Certified for Air Performance and Water Penetration
- Mill Finish
- 1 ½ flange

Item Number	Size	List Price
EFD-437 12X12	12 x 12	●
EFD-437 18X12	18 x 12	●
EFD-437 18X18	18 x 18	●
EFD-437 24X12	24 x 12	●
EFD-437 24X18	24 x 18	●
EFD-437 24X24	24 x 24	●
EFD-437 36X24	36 x 24	●
EFD-437 36X36	36 x 36	●

All dimensions are in inches



DMR

Round Duct Access Doors (Sandwich Type)

- 22 ga. Galvanized Steel Construction
- Max System Pressure: +20" wg., -10" wg

Item Number	Size	Pipe Diameter	List Price
DMR 8X4-6	8 x 4	6	●
DMR 8X4-8		8	
DMR 12X8-10	12 x 8	10	●
DMR 12X8-12		12	
DMR 12X8-14		14	
DMR 16X12-16	16 x 12	16	●
DMR 16X12-18		18	
DMR 16X12-20		20	
DMR 16X12-22		22	
DMR 16X12-24		24	

All dimensions are in inches



HAD

Hinged Access Doors

- 1 1/2" Fiberglass Insulation
- Galvanized Construction

Item Number	Size	List Price
HAD-66	6 x 6	●
HAD-88	8 x 8	●
HAD-1010	10 x 10	●
HAD-1212	12 x 12	●
HAD-1414	14 x 14	●
HAD-1616	16 x 16	●
HAD-1818	18 x 18	●
HAD-2020	20 x 20	●
HAD-2424	24 x 24	●

All dimensions are in inches

Quietflex Flex Duct



60 Series



80 Series



06 Series

Model	Description	R Value	Diameter									
			4	5	6	8	10	12	14	16	18	20
60	Insulated w/ Black Jacket, 25' Bag	6.0	460C QF	560C QF	660C QF	860C QF	1060 QF	1260 QF	1460 QF	1660 QF	1860 QF	2060 QF
			●	●	●	●	●	●	●	●	●	●
80	Insulated w/ Silver Jacket, 25' Bag	6.0	480C	580C	680C	880C	1080	1280	1480	1680	1880	2080
			●	●	●	●	●	●	●	●	●	●
06	Uninsulated, 25' Bag	--	406 QF	506 QF	606 QF	806 QF	1006 QF	1206 QF	1406 QF	1606 QF	1806 QF	2006 QF
			●	●	●	●	●	●	●	●	●	●

Cambridge Duct Bands



Nylon Duct Bands

Size	Item Number	List Price
36"	CT36-175K9	●
48"	CT48-175K9	●



Quick Release S/S Band


Size	Item Number	List Price
4", 5", 6"	QR-104PB	●
7", 8"	QR-128PB	●
9", 10", 12"	QR-188PB	●
14", 16"	QR-258PB	●
18", 20"	QR-312PB	●



Hranec Equipment Rails

- 18 ga. Galv Steel
- Welded Seams
- Built-In Cant
- 2" Wood Nailer
- 2" Flange Out
- Galv. Top Cap

H	Item Number	Description	List Price
12"	ER2412-2X6	24" 2x6 Equipment Rail	●
12"	ER3612-2X6	36" 2x6 Equipment Rail	●
12"	ER7212-2X6	72" 2x6 Equipment Rail	●



Hranec Roof Curbs

- 18 ga. Galv Steel
- Welded Seams
- Built-In Cant
- 2" Wood Nailer
- 2" Flange Out

Size	H	Item Number	Description	List Price
12x12	8"	RCC1212-8	Canted	●
14x14	12"	RCC1414-12	Canted	●
15x15	12"	RCC1515-12	Canted	●
17x17	12"	RCC1717-12	Canted	●
17x17	18"	RCC1717-18	Canted	●
19x19	12"	RCC1919-12	Canted	●
19x19	18"	RCC1919-18	Canted	●
23x23	12"	RCC2323-12	Canted	●
27.5x12	8"	RCC27.512-8	Straight Sided	●
27x27	12"	RCC2727-12	Canted	●
27x27	18"	RCC2727-18	Canted	●
32x32	12"	RCC3232-18	Canted	●
32x32	18"	RCC3232-18	Canted	●




Roof Pipe Portals

- RP-481 Cap: For Four 3/8" thru 1" Pipe
- RP-412 Cap: For Four 1" thru 2" Pipe
- RP-212 Cap: For Two 3/8" thru 1" and Two 1" thru 2" Pipe
- RP-126 Cap: For One 2" thru 6" Pipe
- N-5 Portal Cap (5 boots and s/s clamps are included)
Five 1/2" thru 2-1/2" Pipe
- Double Portal Requires Two ABS Covers & Two Caps

Item Number	Description	List Price
RP-481	Four 3/8" thru 1" Pipe	●
RP-412	Four 1" thru 2" Pipe	●
RP-212	Two 3/8" thru 1" and Two 1" thru 2" Pipe	●
RP-126	One 2" thru 6" Pipe	●
N-5	N-5 Portal Cap (5 boots and s/s clamps are included) Five 1/2" thru 2-1/2" Pipe	●

Stainless Steel Clamp		
Size	Item Number	List Price
1"	SSC1	●
2"	SSC2	●
6"	SSC6	●

ABS Plastic Cover		
Item Number	Description	List Price
ABSPC1	Single	●
ABSPC-2	N-5 ABS Cover	●



Roof Curb				
Size	H	Item Number	Description	List Price
12x12	8"	RCC12128	Canted	●
27.5x12	8"	RCC275128	Canted	●
15x15	12"	RCC1515-12	Canted	●



SnapLock Pipe

- 26 Gauge
- 5' Length



SnapLock Pipe

- 30 Gauge
- 5' Length



Adjustable Ells

- 26 Gauge



Adjustable Ells

- 24 Gauge



Adjustable Ells

- 30 Gauge

Diameter	Snaplock Pipe	Snaplock Pipe	Adjustable Ells	Adjustable Ells	Adjustable Ells
4"	SMP4-5	RP050430060	SME4-90	--	RX530430
5"	SMP5-5	RP050530060	SME5-90	--	RX530530
6"	SMP6-5	RP050630060	SME6-90	--	RX530630
7"	SMP7-5	--	SME7-90	--	--
8"	SMP8-5	RP050830060	SME8-90	--	RX530830
10"	SMP10-5	--	SME10-90	--	--
12"	SMP12-5	--	SME12-90	--	--
14"	SMP14-5	--	--	SME14-90	--
16"	SMP16-5	--	--	SME16-90	--
18"	SMP18-5	--	--	SME18-90	--



AT Airtite



ATD Airtite

- with Damper



Tee Cap



Tee

- 90 Degree
- 26 Gauge

Diameter	AT	ATD	Tee Cap	Tee
4"	--	SF0010 - 4"	RX2104	RX7504
5"	SF0015 - 5"	SF0020 - 5"	RX2105	RX7505
6"	SF0025 - 6"	SF0030 - 6"	RX2106	RX7506
8"	SF0045 - 8"	SF0050 - 8"	RX2108	RX7508
10"	SF0065 - 10"	SF0070 - 10"	RX2110	RX7510
12"	SF0075 - 12"	SF0080 - 12"	RX2112	RX7512
14"	SF0085 - 14"	SF0090 - 14"	--	--
16"	SF0095 - 16"	SF0100 - 16"	--	--
18"	--	SF0110 - 18"	--	--



Single Wall Tall Cone Flashing

- 26 Gauge



Storm Collar

- 26 Gauge



Model DV Dryer Vent w/ Air Flap




Galvanized Rain Cap

- 26 Gauge

Size	SW Tall Cone Flashing	Storm Collar	Dryer Vent	Galvanized Rain Cap
4"	TCFEX200426TC	SCRX0904	EX7404	RCRX2804
5"	--	--	--	--
6"	TCFEX200626TC	SCRX0906	EX7406	RCRX2806
8"	TCFEX200826TC	SCRX0908	EX7408	RCRX2808
10"	TCFEX201026TC	SCRX0910	--	RCRX2810
12"	TCFEX201226TC	SCRX0912	--	RCRX2812
14"	--	--	--	RCRX2814
16"	--	--	--	RCRX2816

TR Square to Round Transition with Collar

Size	Item Number
6 x 6 / 6" Dia	CA60060606A
8 x 8 / 6" Dia	CA60080806A
8 x 8 / 8" Dia	CA60080808A
9 x 9 / 6" Dia	CA60090906A
9 x 9 / 8" Dia	CA60090908A
10 x 10 / 8" Dia	CA60101008A
10 x 10 / 10" Dia	CA60101010A
12 x 12 / 8" Dia	CA60121208A
12 x 12 / 10" Dia	CA60121210A
12 x 12 / 12" Dia	CA60121212A
14 x 14 / 10" Dia	CA60141410A
14 x 14 / 12" Dia	CA60141412A
15 x 15 / 12" Dia	CA60151512A
15 x 15 / 14" Dia	CA60151514A
18 x 18 / 16" Dia	CA60181816A
18 x 18 / 18" Dia	CA60181818A



Tapered Reducer


- No Crimp

Size	Item Number
4 to 3	RX410403
5 to 4	RX410504
6 to 4	RX410604
6 to 5	RX410605
8 to 4	RX410804
8 to 6	RX410806
10 to 6	RX411006
10 to 8	RX411008
12 to 8	RX411208
12 to 10	RX411210
14 to 10	RX411410
14 to 12	RX411412



BP Add a Tap Back Pan

Size	Item Number
20 x 20	CA592020A
22 x 22	CA592222A



Oval Starter Collars

- 26 Gauge w/ Dovetail
- No Damper

Size	Item Number
6"	OSCOX6406
8"	OSCOX6408
10"	OSCOX6410
12"	OSCOX6412



SB & 90B Register Boot

Size	SB Straight	90B 90 Degree
	Item Number	Item Number
10 x 4 x 6	RB204106	RB304106
8 x 6 x 10	RB2060810	--
8 x 6 x 8	RB206088	--



High Efficiency Takeoff With Damper

- 26 Gauge

Size	Item Number
8"x 14"- 10"	TA57D10
10"x 16"- 12"	TA57D12
6"x 10"- 6"	TA57D6
6"x 12"- 8"	TA57D8



HAVTECH, LLC TERMS AND CONDITIONS OF SALE HEATING AND AIR CONDITIONING PRODUCTS

COMPANY: The Company as used herein shall mean HAVTECH, LLC or one of its subsidiaries as elsewhere stated herein.

PRICE POLICY: Prices of the goods may be increased depending on the date of release and/or shipment of the order announced increases in the Company's list prices or increases in labor and material cost.

TERMS OF PAYMENT: Terms of payment are subject at all times to prior approval of the Company's credit department. Terms of the payment are net 30 days of date of invoice unless previously otherwise agreed in writing. If at any time the financial condition of the Purchaser or other circumstances affecting the credit decision, in the Company's opinion, does not justify continuance of production of products or shipment of products on the terms of payment specified. The Company may require full or partial payment in advance or may at its sole discretion stop or delay production or shipment of products. In the event of default in payment, Purchaser agrees to pay all costs of collection incurred by Company including but not limited to collection agency fees, attorney fees and court costs. All past due amounts shall bear interest highest rate allowed by law. Invoices for \$3,000 or more paid with a credit card are subject to a 3% surcharge.

SHIPPING TERMS: All shipments will be made F.O.B. factory with freight as quoted. All shipments will be made via a low-cost common carrier and charges for special carrier services requested, by the Purchaser shall be paid by the Purchaser. The Company may ship the good in one or more lots.

CLAIMS: The responsibility of the Company for all shipments ceases upon delivery of goods in good order to the carrier. Since all goods are shipped at Purchaser's risk, any claims for damage or shortage, in transit must, be filed by Purchaser against carrier. Claims for factory shortages will not be considered unless made in writing to the Company within ten (10) days after receipt of the goods and accompanied by Company's bill of lading and factory order numbers.

TAXES: The amount of any present or future taxes applicable to the product shall be added to the price contained herein and paid by the Purchaser in the same manner and with the same effects as if originally added thereto.

CANCELLATIONS: Accepted orders are not subject to cancellation without the Company being reimbursed for any and all expenses and being indemnified by purchaser against any and all loss.

SHIPMENT DATES: Shipments are only estimates. No contract has been made to ship in a specified time unless in writing and signed by two officers of the Company.

PRODUCT CHANGES: In the interest of continuous product improvements, the Company reserves the right to change specification and/or design without incurring obligation.

RETURNED GOODS: Goods may not be returned except by permission of an authorized Company official at Havtech, when so returned will be subject to handling and transportation charges. Authorized return goods must be shipped prepaid to the location designated by the authorization. Return goods shall not be shipped to Havtech's Corporate Office.

LIMITED WARRANTY: The Company warrants that it will provide free replacement parts in the event any products sold by Company and used in the United States or Canada, proves defective in material or

workmanship for a period of twelve (12) months from the initial start-up or eighteen (18) months from date of shipment, whichever expires sooner. Goods not manufactured by the Company sold under this agreement are warranted only to the extent that the manufacturer warranted them to the Company or directly to the Purchaser.

The Company's liability to the Purchaser shall not exceed the lesser of the cost of correcting defects in the goods sold or the original purchase price of the goods and the Company shall not in any event be liable to buyer or third parties for any delays of special, indirect or consequential damages.

The Company's warranty does not apply to any goods which have been opened, disassembled, repaired, or altered by anyone other than the Company or its authorized service representative or which have been subjected to misuse, misapplication, or abuse. The Company is not obligated to pay any labor or service costs for removing or replacing parts, or any shipping charges. Refrigerants, fluids, oils, and expendable item such as filters are not covered by this warranty. This parts warranty and any optional extended warranties are granted only to the user. Company's duty to perform under any warranty may be delayed, at Company's sole option, until Company has been paid in full for all goods purchased by Purchaser. No such delay shall extend the warranty period.

THIS WARRANTY CONSTITUTES THE PURCHASER'S SOLE REMEDY. IT IS GIVEN IN LIEU OF ALL OTHER WARRANTIES; EXPRESS OR IMPLIED. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IN NO EVENT AND UNDER NO CIRCUMSTANCES SHALL HAVTECH, LLC. BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER THE THEORY BY BREACH OF THIS OR ANY OTHER WARRANTY NEGLIGENCE OR STRICT TORT.

The Company must receive a start-up information report for goods containing motor-compressors and/or furnaces. The registration/start-up form must be completed and returned to the Company within ten (10) days of original equipment start-up or start-up date and ship dates will be deemed the same for warranty determination.

No person (including any agent, salesperson, dealer or distributor) has the authority to expand the Company's obligation beyond the terms of express warranty, or to state that the performance of the product is other, than published by the Company.

TERMS OF SALE: Sale of goods covered hereby to Purchaser is made solely on the terms and conditions set forth herein, notwithstanding any additional or conflicting terms and conditions that may be contained in any purchase order or other form of purchase, all of which additional or conflicting terms and conditions are hereby rejected by the Company unless agreed upon in writing and signed by an officer of the Company. No waiver alteration or modification of the foregoing terms and conditions shall be valid unless made in writing and signed by an authorized official of HAVTECH, LLC. In particular and without limiting the foregoing, notwithstanding anything to the contrary in purchase order or any other documents, the Company does not accept any order subject to project design and specifications. Purchaser to accept full and sole responsibility to determine whether the product ordered by Purchaser meets the design and specification requirements of any project.

Havtech reserves the right to modify the Terms and Conditions of Sale at any time.



Columbia HCD Store

9505 Berger Road
Columbia, MD 21046
240.568.0960
parts@havtech.com

Capitol Heights HCD Store

1101 Hampton Park Blvd, Suite 400
Capitol Heights, MD 20743
240.547.0287
parts@havtech.com